

Visio

Range of automatic
door operators

manusa 
Automatic doors

Visio

Range of automatic
door operators

manusa 
Automatic doors

Visio is the most comprehensive operator range available on the market:

- 100, 125 and 175 mm high cover versions to cater all construction needs.
- LD, MD and HD motor groups depending on the dynamic features required.

Visio
100

Visio
125

Also available for
telescopic doors

Visio
175

With 2 configuration options:

Visio LD Motor Group
Leaves **up to 120 kg**
One **gear motor**

Visio MD Motor Group
Leaves **up to 220 kg**
Two **direct drive** motors

Visio HD Motor Group
Leaves **up to 440 kg**
Two **gear motors**

* The suggested maximum weights will depend on the required speed in each application.

ACCESSORIES

The range of automatic door operators Manusa Visio allows the incorporation of new accessories and functions.



1

Airlinx Selector

Advanced wireless selector for operating control and local door diagnosis. With keypad and LCD screen.



2

Manulink software and Ethernet adaptor

Allows remote control and time programming.



3

Openlinx

Allows remote management for automatic doors from a web navigator and its integration with industrial and immotic buses.



4

ASD audio system

The automatic door gives users acoustic messages.



5

LED display

Integrated in the front cover, it gives users visual messages.



6

Concealed lighting

Gives the entrance aesthetic visibility, or allows a colour code to be established according to the function inside specific locations or transit areas.



7

Ledglass leaves lighting*

Creation of customised designs using LED lighting.



8

Self-dimming glass*

Allows the transparency of the leaves to be changed for specific privacy needs.



9

Glass with integrated Venetian blind*

A blind integrated in the glass.



10

People counter

Crowd measuring system in closed spaces that allows knowledge of entrance and exit traffic.

OTHER AVAILABLE ACCESSORIES

Activation

- Planar Radar
- Smart-Prox touchless switch
- Wide range of push buttons, wired and wireless
- Remote control
- Exterior key switch (wired and wireless)
- Numeric keypad (wired and wireless)
- Handsfree system
- RFID system

Safety

- Photocells
- HDS hybrid sensor
- HPS AIR lateral safety sensor
- CO48 mechanical redundant fail-safe system
- Electromechanical lock
- Cover lock
- Floor lock

Control

- Smart selector
- Optima selector
- Optima remote control
- I/O interface

manusa



Automatic doors



HEADQUARTERS

Avda. Via Augusta, 85-87, 6ª planta

08174 Sant Cugat del Vallès, Barcelona (Spain)

Tel.: +34 902 321 400 Fax.: +34 902 321 450

E mail: export@manusa.com

BRANCHES

Spain, Portugal, Brazil, Singapore, India

INTERNATIONAL DISTRIBUTORS

AFRICA

Algeria, Egypt, Morocco, Nigeria, South Africa,
Tunisia, United Republic of Tanzania, Republic of
Angola, Republic of Mozambique

LATIN AMERICA

Argentina, Colombia, Costa Rica, Cuba, Chile,
Ecuador, Mexico, Panama, Paraguay, Peru,
Uruguay, Venezuela

ASIA/OCEANIA

Australia, China, the Philippines, Hong Kong,
Indonesia, Korea, Malaysia, Myanmar, Pakistan,
Taiwan, Thailand, Vietnam

EUROPE

Germany, Andorra, Belgium, Bosnia and
Herzegovina, Cyprus, Slovakia, Finland, France,
Greece, Holland, Hungary, Ireland, Iceland, Italy,
Latvia, Luxembourg, Polonia, United Kingdom,
Czech Republic, Romania, Russia, Serbia, Slovenia,
Switzerland, Turkey, Ukraine

MIDDLE EAST

Saudi Arabia, Bahrain, United Arab Emirates, Iran,
Israel, Jordan, Kuwait, Lebanon, Qatar, Syria

www.manusa.com

D90019-EN

